	Application No.	Applicant(s)	
Notice of Allowability	10/642,220	CHEN ET AL.	
	Examiner	Art Unit	
	Bruce E Snow	3738	
The MAILING DATE of this communication appeals allowable, PROSECUTION ON THE MERITS therewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 35) or other appropriate community RIGHTS. This application is a	n this application. If not included unication will be mailed in due cours	se. THIS
1. This communication is responsive to			
2. 🔀 The allowed claim(s) is/are <u>1-5</u> .			
3. The drawings filed on are accepted by the Exam	iner.		
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents he 2. Certified copies of the priority documents he 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ave been received. ave been received in Application	on No	rom the
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	E" of this communication to file NMENT of this application.	e a reply complying with the require	ments
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which	bmitted. Note the attached EX gives reason(s) why the oath o	AMINER'S AMENDMENT or NOTICer declaration is deficient.	CE OF
 6. CORRECTED DRAWINGS (as "replacement sheets") replacement sheets") replacement sheets. (a) including changes required by the Notice of Draftspanning (b) including changes required by the attached Examing Paper No./Mail Date 05/12/04. Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such 7. DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREME 	person's Patent Drawing Revieum. Ther's Amendment / Comment of the R 1.84(c)) should be written on in the header according to 37 Ceposit of BIOLOGICAL MAT	or in the Office action of the drawings in the front (not the bac FR 1.121(d). TERIAL must be submitted. Note	
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-94) 3. Information Disclosure Statements (PTO-1449 or PTO/5 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview S Paper No 3B/08), 7. Examiner's	Informal Patent Application (PTO-15) Summary (PTO-413), ./Mail Date Is Amendment/Comment Statement of Reasons for Allowar BRUCESNOW PRIMARY EXAMINER	

Application/Control Number: 10/642,220

Art Unit: 3738

EXAMINER'S COMMENTS/REASONS FOR ALLOWANCE

The following changes to the drawings are required:

Drawings

The drawings are objected to under 37 CFR 1.83(a) because they fail to show adjustment bolt 43 as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Drawings

The drawings are objected to because figure 6 incorrectly shows the piston rod 31 as the link 6. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

The following is an examiner's statement of reasons for allowance:

The prior art fails to teach an artificial knee joint comprising the combination of elements as claimed including a push rod disposed movably within a joint body and a biasing member for biasing said push rod. It is noted Azhedi et al (6,517,585) teaches a similar knee joint but fails to teach the above noted elements and instead uses an

Application/Control Number: 10/642,220

Art Unit: 3738

"elastomeric spring element 14c". It is the Examiner's position that it would not be obvious to replace the elastomeric spring element of Azhedi et al because of the placement of the piston rod connection would produce interference.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce E Snow whose telephone number is (703) 308-3255. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (703)308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bes

BRUCE SNOW PRIMARY EXAMINER